

BlackBerry Enterprise Server for IBM
Lotus Domino

Version: 5.0
Service Pack: 4
Maintenance Release: 2



Maintenance Release
Notes

Contents

1	Related resources	4
2	What's new in BlackBerry Enterprise Server 5.0.4 MR2	5
3	Installing the maintenance release	6
	Where to install the maintenance release	6
	Verify the BlackBerry Enterprise Server software version on a computer that runs Windows Server 2008	6
	Verify the BlackBerry Enterprise Server software version on a computer that runs Windows Server 2003	7
	Install the maintenance release	7
	Verify that you installed the maintenance release on a computer that runs Windows Server 2008	8
	Verify that you installed the maintenance release on a computer that runs Windows Server 2003	9
4	Fixed issues	10
5	Known issues	14
6	Legal notice	15

Related resources

To read the following guides, visit www.blackberry.com/go/serverdocs.

Guide	Information
<i>BlackBerry Enterprise Server Feature and Technical Overview</i>	<ul style="list-style-type: none">• BlackBerry Enterprise Server features• System architecture• Data workflows
<i>BlackBerry Enterprise Server Installation and Configuration Guide</i>	<ul style="list-style-type: none">• System requirements• Installation instructions
<i>BlackBerry Enterprise Server Upgrade Guide</i>	<ul style="list-style-type: none">• System requirements• Installation instructions
<i>BlackBerry Enterprise Server Administration Guide</i>	<ul style="list-style-type: none">• System setup and management• BlackBerry device implementation instructions

What's new in BlackBerry Enterprise Server 5.0.4 MR2

Support for Microsoft Lync 2013

BlackBerry Enterprise Server now supports the Microsoft Lync 2013 platform through the BlackBerry Collaboration Service for BlackBerry devices with Java versions 5.0, 6.0, 7.0 and 7.1.

Installing the maintenance release

Where to install the maintenance release

Install this maintenance release on any computer that hosts a BlackBerry Enterprise Server and on any remote computer that hosts a BlackBerry MDS Connection Service, BlackBerry Collaboration Service, BlackBerry Attachment Service, BlackBerry Administration Service, or BlackBerry Web Desktop Manager.

Verify the BlackBerry Enterprise Server software version on a computer that runs Windows Server 2008

This maintenance release works with BlackBerry Enterprise Server 5.0.4 for IBM Lotus Domino.

1. On the taskbar, click **Start > Settings > Control Panel** or **Start > Control Panel**.
2. Double-click **Programs and Features**.
3. If the window does not display the **Version** column, perform the following actions:
 - a. Right-click on any column heading. Click **More**.
 - b. In the dialog box, click **Version**.
 - c. Click **OK**.
4. In the list of currently installed programs, search for **BlackBerry Enterprise Server for IBM Lotus Domino**.
5. Verify that the version number is at least 5.0.4 (Bundle 38).

Verify the BlackBerry Enterprise Server software version on a computer that runs Windows Server 2003

This maintenance release works with BlackBerry Enterprise Server 5.0.4 for IBM Lotus Domino.

1. On the taskbar, click **Start > Settings > Control Panel** or **Start > Control Panel**.
2. Double-click **Add or Remove Programs**.
3. In the list of currently installed programs, click **BlackBerry Enterprise Server for IBM Lotus Domino**.
4. Click **Click here for support information**.
5. Verify that the version number is at least 5.0.4 (Bundle 38).

Install the maintenance release

If you configured BlackBerry Enterprise Server high availability to limit the downtime of BlackBerry services, you can install the maintenance release on the standby BlackBerry Enterprise Server instance, fail over to the standby BlackBerry Enterprise Server, and then install the maintenance release on the primary BlackBerry Enterprise Server.

Before you begin:

- On the computer that hosts the BlackBerry Enterprise Server, make sure that you can access the installation files that were used to install the BlackBerry Enterprise Server. Depending on how the software was installed, the files might be located on a product CD or in a network location.
 - This maintenance release includes updates to the BlackBerry Configuration Database. You must back up the BlackBerry Configuration Database so that you can restore it if the BlackBerry Enterprise Server upgrade process does not complete. For more information about backing up the BlackBerry Configuration Database, see the *BlackBerry Enterprise Server Upgrade Guide*.
1. Using the service account (for example, BESAdmin), log in to the computer that you want to install the maintenance release on.

2. In the Windows Services, stop all BlackBerry Enterprise Server services.
3. Close the Windows Services.
4. Extract the installation files from **besn504mr2.zip** to a folder on the computer.
5. Browse to the location of the setup program files.
6. Double-click **setup.exe**.
7. Complete the configuration screens.
8. Click **Finish**.
9. In Windows Services, restart all BlackBerry Enterprise Server services.

Note: If you add a BlackBerry component or change the BlackBerry Configuration Database using the BlackBerry Enterprise Server 5.0.4 Gold installer, you must reinstall the maintenance release, using the steps above.

Verify that you installed the maintenance release on a computer that runs Windows Server 2008

1. On the taskbar, click **Start > Settings > Control Panel** or **Start > Control Panel**.
2. Click **Programs and Features**.
3. If the window does not display the **Version** column, perform the following actions:
 - a. Right-click on any column heading. Click **More**.
 - b. In the dialog box, click **Version**.
 - c. Click **OK**.
4. In the list of currently installed programs, search for **BlackBerry Enterprise Server for IBM Lotus Domino**.
5. Verify that the version number is 5.0.4 MR2 (Bundle 71).

Verify that you installed the maintenance release on a computer that runs Windows Server 2003

1. On the taskbar, click **Start > Settings > Control Panel** or **Start > Control Panel**.
2. Click **Add or Remove Programs**.
3. In the list of programs, click **BlackBerry Enterprise Server for IBM Lotus Domino**.
4. Click **Click here for support information**.
5. Verify that the version number is 5.0.4 MR2 (Bundle 71).

Fixed issues

Issues that are marked with an asterisk (*) are newly fixed in this release. All other issues were fixed in previous maintenance releases.

BlackBerry Administration Service

The BlackBerry Administration Service cannot specify a Server Routing Protocol (SRP) address that begins with a numeral as a fully qualified domain name (FQDN). The associated method within the code assumes it is an IP address and tries to validate it as such. (DT 4405948).

You cannot customize the **Manage Users** view by moving columns to the left side of the view as you did in BlackBerry Administration Service 5.0.3. The columns are anchored will and return to their original position . (DT 5897303).

BlackBerry Attachment Service

On the BlackBerry device, in the Basic Viewer for Microsoft Excel, negative numbers for the 1000 (thousandth) separator-enabled format appear incorrectly. Parentheses "(" should appear around such negative numbers. (DT 5799453).

* Certain Microsoft Office files created with LibreOffice cannot be opened on the BlackBerry device using the basic viewer. Only files saved in Microsoft Excel 97-2003, 2007, and XP or Microsoft PowerPoint 97-2003, 2007, and XP file formats will open on the BlackBerry device. It is expected that all Microsoft Office files created with LibreOffice open on the BlackBerry device. (DT 5975763).

* The BlackBerry Attachment Service does not convert date and time data in the Japanese version of Microsoft Excel spreadsheets. (DT 6044493).

BlackBerry Collaboration Service

On BlackBerry Enterprise Server instances configured for high-availability, the BlackBerry Collaboration Service that uses Microsoft Office Communications Server 2007 R2 or Microsoft Lync Server 2010 fails to start when **Instant messaging server pool is load balanced** is set to **Yes**. The high-availability pair creates duplicate Trusted Service Entries (TSEs) within Microsoft Active Directory for the load balanced instant messaging server pool. (DT 2019072).

BlackBerry Dispatcher

When two users swap their BlackBerry devices before a failover, the BlackBerry Dispatcher incorrectly detects duplicate personal identification numbers (PINs) and resets the PIN to **0** for one of the users after the fail over. (DT 454394).

BlackBerry Enterprise Server Maintenance Release Installer

The BlackBerry Enterprise Server Maintenance Release Installer does not automatically update the Java Runtime Environment (JRE) to version 37 during the initial installation of the maintenance release. (DT 5763463).

BlackBerry MDS Connection Service

Starting with BlackBerry Enterprise Server 5.0.3 MR6, you could configure BlackBerry MDS Connection Service to route direct Transport Layer Security (TLS) connections through a proxy server, but some connections would fail as BlackBerry MDS Connection Service did not support proxy auto-configuration (PAC) files for direct TLS connections. You can now configure BlackBerry MDS Connection Service to use PAC files to route direct TLS connections through a proxy server. (DT 2737990).

BlackBerry device users cannot browse using BlackBerry MDS Integration Service authentication if they are within a Microsoft Active Directory domain that is separate from the target website. The BlackBerry MDS Connection Service can query Microsoft Active Directory users via a Lightweight Directory Access Protocol (LDAP) only if they are in the same domain as the web server of the targeted website. (DT 4994857, DT 6110523).

BlackBerry device users cannot authenticate using RSA for URLs that are using HTTPS because the BlackBerry MDS Connection Service times out while redirecting to the RSA login page. (DT 5894839).

BlackBerry Messaging Agent

* Email messages return to the original inbox when an Over-the-air Folder Manager (OTAFM) scan encounters duplicate folder documents in the BlackBerry State database. (DT 3165118).

* If the **When receiving unencrypted mail, encrypt before storing in your mail file** value is set to **Yes**, the original body text of the email message is not included when a user forwards or replies to messages from outside the domain. (DT 6237681).

* Scans, refreshes, and health checks randomly remove handle locks on public folders, causing users to become unsubscribed from public folders after the message: **(SDT00022582) "User has insufficient access privileges to public folder <<publicfolder>> and must be re-subscribed"** is received. (DT 6309158, DT 6309328).

BlackBerry Synchronization Service

* The BlackBerry Synchronization Service drops responses when BlackBerry Enterprise Server is slow to respond to a command to initialize synchronization from/for the address book. This leads to the BlackBerry device retrying the command and the synchronization process is not started. (DT 2087862).

The BlackBerry Synchronization Service produces Short Message Service (SMS) logs that can contain unreadable text or truncated lines after processing a Unicode message. This is due to an issue in the Unicode where least significant bytes are switched for most significant bytes (or vice versa). (DT 2599450).

* Having numerous organizer data items may cause a low memory condition within the BlackBerry Synchronization Service. Support for XML chunking between the BlackBerry Synchronization Service and its connectors is required to avoid creating exceedingly large XML packages. (DT 4930615, DT 4415679, DT 6255659).

IBM Lotus Domino Calendar

* When a meeting instance of a recurring series is rescheduled twice, the second update that is sent to the BlackBerry device is identical to the first. (DT 6029270).

* Multiple calendar synchronization requests simultaneously arrive to the BlackBerry device when a user returns to a wireless coverage area. This results in calendar synchronization conflicts and users experience synchronization sessions that stop, restart, and eventually timeout. (DT 6296084).

Logging

Since BlackBerry Enterprise Server 5.0.3 MR7, the BlackBerry MDS Connection Service logs Java Null Pointer Exceptions (NPEs) repeatedly when requesting a push message for a user with no personal identification number (PIN). Depending on the frequency of the push message, the BlackBerry MDS Connection Service can repeatedly log NPEs, causing the logs to grow rapidly to several gigabytes in size and resulting in a disk drive running out of space. (DT 5765689).

Security

* Vulnerabilities existed in how the BlackBerry MDS Connection Service, BlackBerry Collaboration Service, and the BlackBerry Messaging Agent processed TIFF images for rendering on BlackBerry devices. These vulnerabilities could have allowed a potentially malicious user to execute arbitrary code using the privileges of the BlackBerry Enterprise Server login account. (DT 5468999, DT 5542642, DT 5890761, and DT 6098370).

These issues are resolved by an interim security software update. The update replaces the image.dll file that the affected components use with an image.dll file that is not affected by the vulnerabilities. For more information, visit the Knowledge Base at blackberry.com/support to read article KB33425.

Wireless calendar synchronization

An invalid calendar synchronization state prevents a server-initiated full synchronization if a full synchronization session was stopped with a non-retry-able error, such as session mismatch error. This can occur when a server attempts to initiate a full synchronization process while the device is offline. Starting with BlackBerry Enterprise Server 5.0.4 MR1, in a case of a non-retry-able error, the server waits 1 hour and resolves any relevant values (such as session number) to allow a new server-initiated full synchronization process to be scheduled. (DT 5291872).

The full calendar synchronization process may not complete if a server rejects device updates for meetings that are canceled or deleted in IBM Lotus Notes. (DT 5859843).

Known issues

5

BlackBerry MDS Connection Service

Kerberos authentication does not complete and is replaced with Microsoft NT LAN Manager (NTLM) authentication when you use Java Runtime Environment (JRE) 1.6 Update 37. The JRE version was updated from 33 to 37 as part of BlackBerry Enterprise Server 5.0.4 MR1. (DT 6721494).

Workaround: Revert the JRE to an earlier version, such as JRE 1.6 Update 31 or 33. For more information, visit the Knowledge Base at blackberry.com/support to read article KB33449.

Legal notice

©2013 Research In Motion Limited. All rights reserved. BlackBerry®, RIM®, Research In Motion®, and related trademarks, names, and logos are the property of Research In Motion Limited and are registered and/or used in the U.S. and countries around the world.

Active Directory, Excel, Lync, Microsoft, Outlook, PowerPoint, Windows, and Windows Server are trademarks of Microsoft Corporation. GroupWise is a trademark of Novell, Inc. IBM, Domino, Lotus, and Lotus Notes are trademarks of International Business Machines Corporation. Kerberos is a trademark of Massachusetts Institute of Technology. All other trademarks are the property of their respective owners.

This documentation including all documentation incorporated by reference herein such as documentation provided or made available at www.blackberry.com/go/docs is provided or made accessible "AS IS" and "AS AVAILABLE" and without condition, endorsement, guarantee, representation, or warranty of any kind by Research In Motion Limited and its affiliated companies ("RIM") and RIM assumes no responsibility for any typographical, technical, or other inaccuracies, errors, or omissions in this documentation. In order to protect RIM proprietary and confidential information and/or trade secrets, this documentation may describe some aspects of RIM technology in generalized terms. RIM reserves the right to periodically change information that is contained in this documentation; however, RIM makes no commitment to provide any such changes, updates, enhancements, or other additions to this documentation to you in a timely manner or at all.

This documentation might contain references to third-party sources of information, hardware or software, products or services including components and content such as content protected by copyright and/or third-party websites (collectively the "Third Party Products and Services"). RIM does not control, and is not responsible for, any Third Party Products and Services including, without limitation the content, accuracy, copyright compliance, compatibility, performance, trustworthiness, legality, decency, links, or any other aspect of Third Party Products and Services. The inclusion of a reference to Third Party Products and Services in this documentation does not imply endorsement by RIM of the Third Party Products and Services or the third party in any way.

EXCEPT TO THE EXTENT SPECIFICALLY PROHIBITED BY APPLICABLE LAW IN YOUR JURISDICTION, ALL CONDITIONS, ENDORSEMENTS, GUARANTEES, REPRESENTATIONS, OR WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION, ANY CONDITIONS, ENDORSEMENTS, GUARANTEES, REPRESENTATIONS OR WARRANTIES OF DURABILITY, FITNESS FOR A PARTICULAR PURPOSE OR USE, MERCHANTABILITY, MERCHANTABLE QUALITY, NON-INFRINGEMENT, SATISFACTORY QUALITY, OR TITLE, OR ARISING FROM A STATUTE OR CUSTOM OR A COURSE OF DEALING OR USAGE OF TRADE, OR RELATED TO THE DOCUMENTATION OR ITS USE, OR PERFORMANCE OR NON-PERFORMANCE OF ANY SOFTWARE, HARDWARE, SERVICE, OR ANY THIRD PARTY PRODUCTS AND SERVICES REFERENCED HEREIN, ARE HEREBY EXCLUDED. YOU MAY ALSO HAVE OTHER RIGHTS THAT VARY BY STATE OR PROVINCE. SOME JURISDICTIONS MAY NOT ALLOW THE EXCLUSION OR LIMITATION OF IMPLIED WARRANTIES AND CONDITIONS. TO THE EXTENT PERMITTED BY LAW, ANY IMPLIED WARRANTIES OR CONDITIONS RELATING TO THE DOCUMENTATION TO THE EXTENT THEY CANNOT BE EXCLUDED AS SET OUT ABOVE, BUT CAN BE LIMITED, ARE

HEREBY LIMITED TO NINETY (90) DAYS FROM THE DATE YOU FIRST ACQUIRED THE DOCUMENTATION OR THE ITEM THAT IS THE SUBJECT OF THE CLAIM.

TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW IN YOUR JURISDICTION, IN NO EVENT SHALL RIM BE LIABLE FOR ANY TYPE OF DAMAGES RELATED TO THIS DOCUMENTATION OR ITS USE, OR PERFORMANCE OR NON-PERFORMANCE OF ANY SOFTWARE, HARDWARE, SERVICE, OR ANY THIRD PARTY PRODUCTS AND SERVICES REFERENCED HEREIN INCLUDING WITHOUT LIMITATION ANY OF THE FOLLOWING DAMAGES: DIRECT, CONSEQUENTIAL, EXEMPLARY, INCIDENTAL, INDIRECT, SPECIAL, PUNITIVE, OR AGGRAVATED DAMAGES, DAMAGES FOR LOSS OF PROFITS OR REVENUES, FAILURE TO REALIZE ANY EXPECTED SAVINGS, BUSINESS INTERRUPTION, LOSS OF BUSINESS INFORMATION, LOSS OF BUSINESS OPPORTUNITY, OR CORRUPTION OR LOSS OF DATA, FAILURES TO TRANSMIT OR RECEIVE ANY DATA, PROBLEMS ASSOCIATED WITH ANY APPLICATIONS USED IN CONJUNCTION WITH RIM PRODUCTS OR SERVICES, DOWNTIME COSTS, LOSS OF THE USE OF RIM PRODUCTS OR SERVICES OR ANY PORTION THEREOF OR OF ANY AIRTIME SERVICES, COST OF SUBSTITUTE GOODS, COSTS OF COVER, FACILITIES OR SERVICES, COST OF CAPITAL, OR OTHER SIMILAR PECUNIARY LOSSES, WHETHER OR NOT SUCH DAMAGES WERE FORESEEN OR UNFORESEEN, AND EVEN IF RIM HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW IN YOUR JURISDICTION, RIM SHALL HAVE NO OTHER OBLIGATION, DUTY, OR LIABILITY WHATSOEVER IN CONTRACT, TORT, OR OTHERWISE TO YOU INCLUDING ANY LIABILITY FOR NEGLIGENCE OR STRICT LIABILITY.

THE LIMITATIONS, EXCLUSIONS, AND DISCLAIMERS HEREIN SHALL APPLY: (A) IRRESPECTIVE OF THE NATURE OF THE CAUSE OF ACTION, DEMAND, OR ACTION BY YOU INCLUDING BUT NOT LIMITED TO BREACH OF CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR ANY OTHER LEGAL THEORY AND SHALL SURVIVE A FUNDAMENTAL BREACH OR BREACHES OR THE FAILURE OF THE ESSENTIAL PURPOSE OF THIS AGREEMENT OR OF ANY REMEDY CONTAINED HEREIN; AND (B) TO RIM AND ITS AFFILIATED COMPANIES, THEIR SUCCESSORS, ASSIGNS, AGENTS, SUPPLIERS (INCLUDING AIRTIME SERVICE PROVIDERS), AUTHORIZED RIM DISTRIBUTORS (ALSO INCLUDING AIRTIME SERVICE PROVIDERS) AND THEIR RESPECTIVE DIRECTORS, EMPLOYEES, AND INDEPENDENT CONTRACTORS.

IN ADDITION TO THE LIMITATIONS AND EXCLUSIONS SET OUT ABOVE, IN NO EVENT SHALL ANY DIRECTOR, EMPLOYEE, AGENT, DISTRIBUTOR, SUPPLIER, INDEPENDENT CONTRACTOR OF RIM OR ANY AFFILIATES OF RIM HAVE ANY LIABILITY ARISING FROM OR RELATED TO THE DOCUMENTATION.

Prior to subscribing for, installing, or using any Third Party Products and Services, it is your responsibility to ensure that your airtime service provider has agreed to support all of their features. Some airtime service providers might not offer Internet browsing functionality with a subscription to the BlackBerry® Internet Service. Check with your service provider for availability, roaming arrangements, service plans and features. Installation or use of Third Party Products and Services with RIM's products and services may require one or more patent, trademark, copyright, or other licenses in order to avoid infringement or violation of third party rights. You are solely responsible for determining whether to use Third Party Products and Services and if any third party licenses are required to do so. If required you are responsible for acquiring them. You should not install or use Third Party Products and Services until all necessary licenses have been acquired. Any Third Party Products and Services that are provided with RIM's products and services are provided as a convenience to you and are provided "AS IS" with no express or implied conditions, endorsements, guarantees, representations, or warranties of any kind by RIM and RIM assumes no liability whatsoever, in relation thereto. Your use of Third Party Products and Services shall be governed by and subject to you agreeing to the terms of separate licenses and other agreements applicable thereto with third parties, except to the extent expressly covered by a license or other agreement with RIM.

Certain features outlined in this documentation require a minimum version of BlackBerry Enterprise Server, BlackBerry Desktop Software, and/or BlackBerry Device Software.

The terms of use of any RIM product or service are set out in a separate license or other agreement with RIM applicable thereto. NOTHING IN THIS DOCUMENTATION IS INTENDED TO SUPERSEDE ANY EXPRESS WRITTEN AGREEMENTS OR WARRANTIES PROVIDED BY RIM FOR PORTIONS OF ANY RIM PRODUCT OR SERVICE OTHER THAN THIS DOCUMENTATION.

Research In Motion Limited
295 Phillip Street
Waterloo, ON N2L 3W8
Canada

Research In Motion UK Limited
200 Bath Road
Slough, Berkshire SL1 3XE
United Kingdom

Published in Canada